

Page 1/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.08.2017 Version number 6 Revision: 21.08.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: HP Super
- · Article number: 0781 319 805...
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Sector of Use

SU21 Consumer uses: Private households / general public / consumers

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

- · Product category PC24 Lubricants, greases, release products
- · Application of the substance / the mixture Motor Oil
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

ANDREAS STIHL AG & Co.KG

Badstr. 115

D-71336 Waiblingen Tel: +49(0)7151-26-3237 Fax: +49(0)7151-26-8-3237 Email: info@stihl.com

· Informing department:

Produktmanagement Forsttechnik

Tel: +49(0)7151-26-3237 Fax: +49(0)7151-26-83237

· 1.4 Emergency telephone number:

Emergency control center for poisoning cases Berlin +49 (0) 30 30 686 790 (German and English) Information for transport Tel.: +49-621-60-43333 Fax: 49-621-60-92664

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.

GB

Printing date 21.08.2017 Version number 6 Revision: 21.08.2017

Trade name: HP Super

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Highly refined mineral oil (IP 346 DMSO < 3%) and additives.

· Dangerous components:		
L. C.	Distillates (petroleum), hydrotreated light naphthenic Asp. Tox. 1, H304	10-<25%
Reg.nr.: 01-2119457273-39	Kohlenwasserstoffe, C10-C13, n-Alkane, Isoalkane, zyklische, < 2% Aromaten & Asp. Tox. 1, H304	10-<25%
	Phenol, polyisobutylene derivs. ♦ Skin Irrit. 2, H315; Eye Irrit. 2, H319	1-<5%
	Phenol, (dimethylamino)-methyl poly isobutylene derivs. Aquatic Chronic 3, H412	1-<5%

· Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information

Instantly remove any clothing soiled by the product.

Wash contaminated clothing before reuse.

- · After inhalation Supply fresh air; consult doctor in case of symptoms.
- · After skin contact

Instantly wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact

Keep eye lids open and rinse them amply with clean running water for at least 15 minutes. In case of persistent symptoms consult doctor.

· After swallowing

Do not induce vomiting.

In case of persistent symptoms consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents

Extinguishing powder, foam or water jet. Fight larger fires with water jet or alcohol-resistant foam.

- · For safety reasons unsuitable extinguishing agents Water with a full water jet.
- · 5.2 Special hazards arising from the substance or mixture

Can be released in case of fire

Carbon monoxide (CO)

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear full protective suit.

(Contd. on page 3)

Printing date 21.08.2017 Version number 6 Revision: 21.08.2017

Trade name: HP Super

Wear self-contained breathing apparatus.

(Contd. of page 2)

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Keep away from ignition sources

Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

Particular danger of slipping on leaked/spilled product.

· 6.2 Environmental precautions:

Inform respective authorities in case product reaches water or sewage system.

Do not allow to enter drainage system, surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Remove from the surface of water (e.g. skim or vacuum off)

Should larger amounts of liquid run out stem it and dispose it of.

Absorb with liquid-binding material (sand, diatomite, universal binders) and disposal in suitable containers.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Avoid contact with eyes and skin.

Store in cool, dry place in tightly closed containers.

Keep away from heat and direct sunlight.

· Information about protection against explosions and fires:

Fumes can combine with air to form an explosive mixture.

· 7.2 Conditions for safe storage, including any incompatibilities

- Storage
- · Requirements to be met by storerooms and containers:

Store only in unopened original receptacles.

Prevent any penetration into the ground.

- · Information about storage in one common storage facility: Store away from oxidising agents.
- · Further information about storage conditions: Must be stored in a collecting room.
- · Storage class 10
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · 8.1 Control parameters
- Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · 8.2 Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures

Do not carry cleaning cloths impregnated with the product in trouser pockets.

Be sure to clean skin thoroughly after work and before breaks.

(Contd. on page 4)

Printing date 21.08.2017 Version number 6 Revision: 21.08.2017

Trade name: HP Super

(Contd. of page 3)

· Breathing equipment:

Not necessary if room is well-ventilated.

In case of insufficient removal by suction or longer inhalation a breathing protection is required.

· Protection of hands:

Oil resistant gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

If only a short-term loading of the glove material by splashes is expected, tricoted gloves with higher wearability for the better acceptance of the users are recommended.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact gloves made of the following materials are suitable:

Nitrile rubber, NBR

Thickness > 0.35 mm.

- · Eye protection: Safety glasses recommended during refilling.
- · Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and c General Information	hemical properties
Appearance:	
Form:	Fluid
Colour:	blue-green
Odour:	Weak, characteristic
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/freezing point:	Not determined
Initial boiling point and boiling range:	Not determined
Pour point:	-48°C
Flash point:	118°C (Pensky-Martens)
Inflammability (solid, gaseous)	Not applicable.
Self-inflammability:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of explosive air/steam mixtures is possible.
Critical values for explosion:	
Lower:	0.6 Vol %
Upper:	7 Vol %
Vapour pressure:	Not determined.
Density at 20°C	0.866 g/cm³ (DIN 51757)
Relative density	Not determined.

Printing date 21.08.2017 Version number 6 Revision: 21.08.2017

Trade name: HP Super

(Contd. of page 4)

Vapour densityEvaporation rateNot determined.Not determined.

· Solubility in / Miscibility with

Water: Not miscible or difficult to mix

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

dynamic: Not determined. kinematic at 40°C: 46.24 mm²/s

• **9.2 Other information** No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid sources of ignition.
- · 10.5 Incompatible materials: Avoid contact with strong oxidizing agents.
- 10.6 Hazardous decomposition products:

None in case of intended use and storage in compliance with instructions.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- Skin corrosion/irritation

Longer or repeated contact with the product reduces the natural readipogenesis of the skin and results in the desiccation of the skin. That product can be absorbed via the skin.

More frequent and continuous contact with the skin may result in irritation of the skin.

- · Serious eye damage/irritation Splashes can cause temporary eye irritation.
- Respiratory or skin sensitisation

Sensitive persons can possibly have allergic reactions. This is also valid below the fixed levels of exposure.

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability A part of the components is biodegradable.

(Contd. on page 6)

Printing date 21.08.2017 Version number 6 Revision: 21.08.2017

Trade name: HP Super

(Contd. of page 5)

- · Behaviour in environmental systems:
- · Components:

A product that has flown out can lead to the formation of a film on the water surface which reduces the oxygen exchange and results in the organisms dying-off.

- · 12.3 Bioaccumulative potential May be accumulated in organism
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water.

Do not allow product to reach ground water, water bodies or sewage system.

Danger to drinking water if even small quantities leak into soil.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

The product is suitable for processing by an approved recycling facility or can be disposed of at any government approved waste disposal facility.

The waste code numbers mentioned are recommendations based on the probable use of the product.

· European waste catalogue

13 02 05* mineral-based non-chlorinated engine, gear and lubricating oils

- · Uncleaned packagings:
- · Recommendation:

Dispose of packaging according to regulations on the disposal of packagings.

Packaging may be reused or recycled after cleaning.

· 14.1 UN-Number · ADR/RID/ADN, ADN, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR/RID/ADN, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
· ADR/RID/ADN, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR/RID/ADN, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.

(Contd. on page 7)

Printing date 21.08.2017 Version number 6 Revision: 21.08.2017

Trade name: HP Super

(Contd. of page 6)

· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

· Department issuing data specification sheet:

The safety data sheets were drawn up in cooperation with the Umweltkanzlei Dr.Rhein Beratungsund Prüfgesellschaft mbH, Phone: +49 5066 900990.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Asp. Tox. 1: Aspiration hazard - Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

· * Data compared to the previous version altered.

GB